

ALLOPATHIC PRODUCTS

ANTI HIV PRODUCTS

1.LADINE

Each uncoated tablet contains

LAMIVUDINE 150 MG
ZIDOVUDINE u.s.P 300 MG
LAMIVUDINE WITH STAVUDINE TABLETS

Each uncoated tablet contains

2. LASTAV

LAMIVUDINE 150MG
STAVUDINE

1.ANTACIDS

1.TABLETS ANTACID

Each uncoated chewable tablet contains:

Aluminium Hydroxide I.P. 250 mg
Magnesium Hydroxide I.P. 250 mg
Methyl Poly Siloxiane 50 mg

2. Z-CID (100 ml)

Each 5ml contains:

Aluminium Hydroxide Gel I.P. 150 mg
Magnesium Trisilicate I.P. 6 2.5 mg
Sodium Alginate I.P. 100 mg
Simethicone . I.P. 12.5 mg

3. ALUMINIUM HYDROXIDE TABLETS I.P.

Each uncoated tablet contains:

Dried Aluminium Hydroxide Gel. I.P. 500 mg

4. MILK OF MAGNESIA I.P.(100 ml)

SMITH & KENNER'S MILK OF FMAGNESIA

Contains 8.5% w /w of

Magnesium Hydroxide I.P.

5. SMITH'S SK-GEL MPS

Each 5 ml contains :

Activated Demethicone I.P 50 mg.
Magnesium Hydroxide I.P 250 mg.
(Added as Magnesium Hydroxide paste)
Dried Alluminium Hydroxide I.P 250 mg.
(Added as Alluminium Hydroxide paste)

Colour : Erythrosine

6.ALUMINIUM HYDROXIDE AND MAGNESIUM TRISILICATE TABLETS B.P

ANCID

Each chewable tablet contains

Aluminium Hydroxide B.P 200 mg.

Magnesium Trisilicate B.P 200 mg.

Colour : Tatrizine Supra FCF

2. ANTI AMOEBIC & ANTI DIARRHOEALS

1.ANTIDA SUSPENSION

Each 5 ml contains:

Furazolidone I.P. 34 mg

Aluminium Hydroxide Gel I.P. 120 mg

Metronidazole Benzoate I.P.

Equivalent to Metronidazole I.P. 100 mg

. METAFUR TABLETS

Each Uncoated tablet contains:

Metronidazole I.P. 400 mg

Diloxanide Furoate I.P. 500 mg

3. METRONIDAZOLE TABLETS I.P.

MNZ-200 TABLETS

Each Uncoated tablet contains:

Metronidazole I.P. 200 mg

4. METRONIDAZOLE TABLETS I.P.

MNZ-400 TABLETS

Each Uncoated tablet contains:

Metronidazole I.P. 400 mg

9.LOPERAMIDE TABLETS USP (Not for paediatric use)

LOPED TABLETS

Each uncoated tablet contains:

Loperamide Hcl USP 2 mg

6. MEBENDAZOLE TABLETS I.P.

MEBEN TABLETS

Each Uncoated tablet contains:

Mebendazole I.P. 100 mg

7. AMEBOID TABLETS

Each film coated tablet contains:

Norfloxacin I.P. 400 mg.

Tinidazole I.P. 600 mg.

8. AMEBOID SUSPENSION 30ML AMEOBICIDOL

Each 5 ml contains:

Metronidazole - 100 mg

Dilaxamide Furonate 125 mg

3. ANTI HYPERTENSIVE & ANTI ANGINAL DRUG

1. AMLO-2.5

Each Uncoated tablet contains:
Amlodipine Besylate
Equivalent to active
Amlodipine base 2.5 mg

1.AMLO-5

Each Uncoated tablet contains:
Amlodipine Besylate
equivalent to active
Amlodipine base 5 mg

3. AMLO-10

Each Uncoated tablet contains:
Amlodipine Besylate
Equivalent to active
Amlodipine base 10 mg

4. ATENOLOL TABLETS I.P.

ATENOL-25

Each Uncoated tablet contains:
Atenolol I.P. 25 mg

5. ATENOLOL TABLETS I.P.

ATENOL-50

Each Uncoated tablet contains:
Atenolol I.P. 50 mg

9.ATENOLOL TABLETS I.P.

ATENOL-100

Each Uncoated tablet contains:
Atenolol I.P. 100 mg

13.METHYL DOPA TABLETS I.P.

Each film coated tablet contains:

(a)Methyldopa(Anhydrous) I.P. 125 mg

Each film coated Tablets contains:

(b) Methyl Dopa(Anhydrous) I.P. 250 mg

Each coated tablet contains:

(c) Methyl Dopa (Anhydrous) I.P. 500 mg

8. DIAZEPAM TABLETS I.P.

Each Uncoated tablet contains:
Diazepam I.P. 2 mg

9. DIAZEPAM TABLETS I.P.

Each Uncoated tablet contains:
Diazepam I.P. 5 mg

10.DIAZEPAM TABLETS I.P.

Each Uncoated tablet contains:

Diazepam I.P. 10 mg

11. ALPRAZOLAM TABLETS I.P. 0.50 mg

Each uncoated tablet contains:

Alprazolam I.P. 0.50 mg

11.B. ALPRAZOLAM TABLETS I.P. 0.25 mg

Each uncoated tablet contains:

Alprazolam I.P. 0.25 mg

12. ESPRIL

Each uncoated tablet contains:

Lisinopril (Dihydrate) USP

Equivalent to Lisinopril 2.5 mg

13. NORTIM

Each film coated tablet contains:

Nortriptyline Hydrochloride I.P.

Equivalent to Nortriptyline 25 mg.

Excipients q.s.

14. SK.LOSARP-25

Each tablet contains

Losartan Potassium 25 mg.

15. SK.ATO-25

Each tablet contains :

Atorvastatin 10 mg.

(As Atorvastatin Calcium)

4. ANTI – TUSSIVE, EXPECTORANTS & ANTI ALLERGIC

1. SALBUTAMOL TABLETS I.P.

Each Uncoated tablet contains:

Salbutamol Sulphate I.P.

Equivalent to Salbutamol I.P. 2 mg

2. SALBUTAMOL TABLETS I.P.

Each Uncoated tablet contains:

Salbutamol Sulphate I.P.

Equivalent to Salbutamol I.P. 4 mg

3. SOFEL(60 ml)

Each 5 ml contains:

Salbutamol Sulphate I.P.

Equivalent to Salbutamol I.P. 1 mg

Guaphenesin I.P. 50 mg

4. SALBUTAMOL SYRUP I.P.(60 ml)

SOLOMOL

Each 5 ml contains:

Salbutamol Sulphate I.P. Equivalent to Salbutamol I.P. 2 mg.

5. THEOPHYL (60 ml)

Each 5 ml contains:

Choline Theophyllinate B.P. 125 mg
(Equivalent to 80 mg of Theophylline)

6. CHLOR PHENIRAMINE MALEATE TABLETS I.P.

Each Uncoated tablet contains:

Chlorpheniramine Maleate I.P. 4 mg

7. CHLOR PHENIRAMINE MALEATE TABLETS I.P.

Each Uncoated tablet contains:

Chlorpheniramine Maleate I.P. 8 mg

8. THEOTOF TABLETS

Each Uncoated tablet contains:

Etofylline I.P. 77 mg

Theophylline(Anhydrous) I.P. 23 mg

9. 5A SYRUP (60 ml)

Each 5 ml contains:

Paracetamol I.P. 125 mg

Phenylpropanolamine Hcl B.P. 5 mg

Chlorpheniramine Maleate I.P. 2 mg

Sodium Citrate I.P. 60 mg

Ammonium Chloride I.P. 120 mg

Menthol I.P. I.P. 1 mg

Chloroform Spirit I.P. 1 mg

10. KENNERS EXPECTORANT(100 ml)

Each 5 ml contains:

Chlorpheniramine Maleate I.P. 2.5 mg

Ammonium Chloride I.P. 125 mg

Sodium Citrate I.P. 62.5 mg

Diphen Hydramine

hydrochloride I.P. 14 mg

Menthol I.P. 1.25

11. KENTAL SYRUP (60 ml)

Each 5 ml contains:

Chlorpheniramine Maleate I.P. 2.5 mg

12. SBG-PLUS (100 ml)

Each 5 ml contains:

Salbutamol Sulphate I.P.

Equivalent to Salbutamol I.P. 1 mg

Bromhexine Hcl. I.P. 2 mg

Guaiphenesin I.P. 50 mg.

Menthol I.P. 0.5 mg

13. 5A TABLETS

Each uncoated tablet contains:

Paracetamol I.P. 500 mg.

Chlorpheniramine Maleate I.P. 4 mg.

Phenylpropanolamine Hcl. B.P. 10 mg

Caffeine (Anhydrous) I.P. 30 mg.

14. ZERO COLD

Each uncoated tablet contains:

Phenylpropanolamine Hcl. B.P. 10 mg.

Paracetamol I.P. 500 mg.

Chlorpheniramine Maleate I.P. 2 mg.

**15. HYDRODEX 60 ML Cough syrup Antitussive
Decongestant**

Each 5 ml contains:

Phenylpropanolamine

Hydrochloride U.S.P 125 mg

Dextromethorphan

Hydrobromide I.P. 10 mg

Deliciously flavoured

Nonalcoholic

Indications:

Cough Of Various Aetiologies

16. KENTIZ

Each film coated tablet contains:

Cetirizine Dihydrochloride 10 mg

17 CETRIZINE & PSEUDOEPHEDRINE

PEH-C

Each uncoated tablet contains

Pseudoephedrine Hydrochloride I.P 60 mg.

Cetirizine Hydrochloride B.P 5 mg.

**18 PROMETHAZINE ORAL SOLUTION B.P
PROM**

Each 5 ml contains :

Promethazine Hydrochloride B.P 5 mg.

Colour : Tatrazine Supra FCF

19. COFCODIN (50 ml, 100 ml, 400 ml)

Each 5 ml contains :

Chlorpheniramine Maleate I.P 4 mg.

Codeine Phosphate I.P 10 mg.

**20. PSEUDOEPHEDRINE HYDROCHLORIDE I.P
PEH TABLETS**

Each uncoated tablet contains :

Pseudoephedrine Hydrochloride I.P 60 mg.

**21. PSEUDOEPHEDRINE HYDROCHLORIDE I.P
PEH SYRUP**

Each 5 ml contains :

Pseudoephedrine Hydrochloride I.P 30 mg.

22. SMITH'S DRIL EXPECTORANT

Each 5 ml contains

Diphehydromine Hydrochloride I.P 14.08 mg.

Ammonium Chloride I.P 138 mg.

Sodium Citrate I.P 57.03 mg.

Menthol I.P 1.14 mg.

Colours : Carmoisine, sunset yellow FCF, Erythrosine, Careamel I.P

23. SMITH'S SK-RIL

Each 5 ml contains

Terbutane sulphate I.P 1.25 mg.

Bromhexine Hydrochloride I.P 2 mg.

Guaiphenesin I.P 50 mg.

Menthol I.P 0.5 mg.

Flavoured syrup base q.s

Colour : Sunset Yellow FCF

24. SMITH'S KENKODIN

Each 5 ml contains :

Dextromethorphan Hydrobromide I.P 10 mg.

Chlorpheniramine Maleate I.P 4 mg.

Phenyl Propanolamine Hydrochloride USP 25 mg.

Colour : Sunset Yellow

25. SMITH'S ACTION 5000+

Each uncoated tablet contains

Paracetamol I.P 500 mg.

Phenyl Propanalamine Hydrochloride B.P 10 mg.

Caffeine (Anhydrous) I.P 30 mg.

26. UMBRELLA

Each uncoated tablet contains

Chlorpheniramine Maleate I.P 2 mg.

Phenylephrine Hcl B.P 5 mg.

Caffeine (Anhydrous) I.P 15 mg.

Paracetamol I.P 500 mg.

27. UMBRELLA SUSPENSION

Each 5 ml contains

Chlorpheniramine Maleate I.P 2 mg.

Phenylephrine Hcl B.P 5 mg.

Caffeine (Anhydrous) I.P 15 mg.

Paracetamol I.P 500 mg.

28. PHEDRINE TABLETS B.P

Each uncoated tablet contains

Ephedrine Hydrochloride B.P 15 mg.

29. Sardan

Each uncoated tablet contains :

Caffin (Anhydrous) B.P 30 mg.

Paracetamol B.P 320 mg.

Chlorpheniramine Meleate 4 mg.

30. CITRIZINE TABLETS

Kentiz

Each film coated tablet contains

Cetirizine Dihydrochloride B.P 10 mg.
Colour : Titanium Dioxide

31. Tab. Ephedrine Hcl B.P 30mg

5.ANTI DIABETIC

1. GLYZIDE

Each tablet contains:
Glipizide B.P. 5 mg

2. SMITHGLI

Each tablet contains:
Glibenclamide I.P. 5mg

3. METFORMIN TABLETS B.P METMIN

Each film coated tablet contains :
Metformin Hydrochloride B.P 500 mg.
Colour : Titanium Dioxide B.P

4.Glipizide 5mg+Metformin 500mg

6. ANIT EMETICS & ANTI NAUSEANTS

1. DOMIDE TABLETS

Each enteric coated tablets contains:
Doxylomine Succinate USP 10 mg
Pyridoxine Hcl. I.P. 10 mg

7.ALIMENTARY SYSTEM

1. GRIPOSTAT TABLETS

Each Uncoated tablet contains:
Di-Cyclomine Hcl I.P. 20 mg
Paracetamol I.P. 500 mg

2. SKZYME (200 ml)

Each 10 ml. (after dissolving the tablet) contains:
Amylase (Fungal Diastase 1:800 from)
Aspergillus Oryea) I.P. 62.5 mg.
Pepsin I.P. 20 mg.

3. SKZYME CAPSULES

Each capsule contains:

Fungal Diastate (1:1200) I.P. 50 mg.
Pepsin (1:3000) I.P. 10 mg.

4. KENZOLE 20 MG

Each capsule contains:
omeprazole I.P. 20 mg
(as enteric coated granules)

**5.SERRATIOPEPTIDASE TABLETS
SERADASE – 5**
Each enteric film coated tablet contains:
Serratiopeptidas 5 mg
(10,000 Serratiopeptidase Units)

**6.SERRATIOPEPTIDASE TABLETS
SERADASE – 10**
Each enteric film coated tablet contains:
Serratiopeptidas 10 mg
(20,000 Serratiopeptidase Units)

8. ANTI MALARIAL

1. CLP-1000
Each film coated tablet contains
chloroquine phosphate I.P. 1000mg

2. CLP-500
Each film coated tablet contains
chloroquine phosphate I.P. 500mg

3. CHLOROQUINE PHOSPHATE TABLETS I.P.
Each Uncoated tablet contains:
Chloroquine Phosphate I.P. 250 mg

4. PRIMAQUIN TABLETS I.P.
Each Uncoated tablet contains:
Primaquine Phosphate I.P.
Equivalent to Primaquine 2.5 mg

4A.PRIMAQUIN TABLETS I.P.
Each Uncoated tablet contains:
Primaquine Phosphate I.P.
Equivalent to Primaquine 7.5 mg

5. ANTIMAL (60 ml)
Each 5 ml contains:
Chloroquine Phosphate I.P. 80 mg
(Equivalent to 50mg. Of Chloroquine base)

6.MAL PLUS

Each uncoated tablet contains

7.Sulphadoxine B.P 500 mg

FOR EXPORT

Pyramethamine B.P

25mg

9. ANALGESIC, ANTI PYRETIC & ANTI INFLAMMATORY DRUGS

1. SYRUP PARACETAMOL I.P. (For Paediatric Use)

Each 5 ml contains:

Paracetamol I.P. 125mg

2. PARACETAMOL TABLETS I.P.

Each Uncoated tablet contains:

Paracetamol I.P. 500 mg

3. PARACETAMOL TABLETS I.P.

Each Uncoated tablet contains:

Paracetamol I.P. 300 mg

4. IBUPROFEN TABLETS I.P.

Each film coated tablet contains:

Ibuprofen I.P. 200 mg

5. ANALGIN TABLETS I.P.

Each Uncoated tablet contains:

Analgin I.P. 500 mg

6. IBUMETH TABLETS

Each Uncoated tablet contains:

Ibuprofen I.P. 400 mg

Paracetamol I.P. 325 mg

DL Methionine USP 32.5 mg

7. IBUMETH KID TABLETS

Each Uncoated tablet contains:

Ibuprofen I.P. 100 mg

Paracetamol I.P. 125 mg

Racemethionine USP 10 mg

8. AMNOCIN KID TABLETS

Each Uncoated tablet contains:

Paracetamol I.P. 250 mg

Racemethionine USP 25 mg

9. PARADIC

Each Uncoated tablet contains:

Diclofenac Sodium I.P. 50 mg

Paracetamol I.P. 500 mg

10. DICOFEN

Each enteric coated tablet contains:

Diclofenac Sodium I.P. 50 mg

11. IBUPROFEN TABLETS I.P.

IBU-400

Each Film-coated tablet contains:

Ibuprofen I.P. 400 mg

12. IBU-JUNE (60 ml)

Each 5 ml contains:

Ibuprofen I.P. 100 mg

13. IBUCETOL TABLETS

Each Uncoated tablet contains:

Ibuprofen I.P. 400 mg.

Paracetamol I.P. 325 mg

14. IBUPROFEN TABLETS I.P.

Each sugar-coated tablet contains:

Ibuprofen I.P. 400 mg

15. ASPIRN TABLETS I.P.

Each Uncoated tablet contains:

Aspirin I.P. 300 mg.

16. AMNOCIN-125 (for Pediatric use)

Each Uncoated tablet contains:

Paracetamol I.P. 125 mg

Racemethionine USP 12.5 mg

17. IBUMETH SUSPENSION (For Pediatric Use)

Each 5 ml contains:

Ibuprofen I.P. 100 mg

Paracetamol I.P. 125 mg

Syrup base G.S.

18. TIME-20 TABLETS

Each uncoated tablet contains:

Nimesulide 100 mg

19. TIME-20 SUSPENSION 60 ML

Each 5ml contains

Nimesulide 50 mg

20. AMNOCIN TABLETS

Each Uncoated tablet contains:

Paracetamol I.P. 500 mg

DL Methionine USB 50 mg

21. AMNOCIN DROPS

Each 2 ml contains:

Paracetamol I.P. 150 mg

Racemethionine. USP 15 mg

22. AMNOCIN-4 PLUS(60 ml)

Each 5 ml contains:

Paracetamol I.P. 240 mg

DL Methionine USP 24 mg

23. AMNOCIN SUSP

Each 5 ml contains:

Paracetamol I.P. 125 mg

Racemethionine USP 12.5 mg

24 KENZAC 20 MG

Each hard gelatin capsule contains:

fluoxetine U.S.P 20 mg

(as hydrochloride)

Excipients q.s.

25. METOMOL TABLETS

Each uncoated tablet contains:

Paracetamol I.P. 500 mg

Metoclopramide Hcl. I .P.

Equivalent to Anhydrous

Metoclopramide Hcl. 5 mg

26. INDOMETHACIN CAPSULES I.P.

Each Capsule contains:

Indomethacin I.P. 25mg

27. SARIPAIN

Each uncoated tablet contains :

Chlorpheniramine Maleate I.P 4 mg.

Paracetamol I.P 320 mg

Caffine (anhydrous) 30 mg.

28. MUSK

Each uncoated tablet contains :

Chlorzoxazone USP 250 mg.

Diclofenac Sodium B.P 50 mg.

Paracetamol B.P 500 mg.

29. PIROXICAM CAPSULES B.P

Each capsule contains

Piroxicam B.P 20 mg.

30. SARIPAIN

Each uncoated tablet contains :

Chlorpheniramine Maleate I.P 4 mg.

Paracetamol I.P 320 mg

Caffine (anhydrous) 30 mg.

31. INTECAT (60 ml)

Each 5 ml contains :

Metoclopramide Hydrochloride USP

Equivalent to Anhydrous Metoclopramide 5 mg.

10. ANTI BIOTICs

1. AMOXYCILLIN CAPSULES I.P.

Each capsule contains:

Amoxicillin Trihydrate I.P.

Equivalent to Amoxicillin 250 mg.

2. AMOXYCILLIN CAPSULES I.P.

Each capsule contains:

Amoxicillin Trihydrate I.P. 500 mg.

3. AMPICILLIN CAPSULES I.P.

Each Capsule Contains:

Ampicillin Trihydrate I.P.

Equivalent to Ampicillin I.P. 250 mg.

4. AMPICILLIN CAPSULES I.P.

Each capsule contains:

Ampicillin Trihydrate I.P.

Equivalent to Ampicillin I.P. 500 mg.

5. CEPHAEXIN CAPSULES I.P.

Each Capsule Contains:

Cephalexin I.P. (Anhydrous) 250 mg.

6. CEPHAEXIN CAPSULES I.P.

Each Capsule Contains:

Cephalexin I.P. (Anhydrous) 500 mg.

7. CHLORAMPHENICOL CAPSULES I.P.

Each Capsule Contains:

Chloramphenicol I.P. 250 mg.

8. CHLORAMPHENICOL CAPSULES I.P.

Each Capsule Contains:

Chloramphenicol I.P. 500 mg.

9. DOXYCYCLINE CAPSULES I.P.

Each Capsule Contains:

Doxycycline Hydrochloride I.P.

Equivalent to Doxycycline 100 mg.

10. DOXYCYCLINE CAPSULES I.P.

Each Capsule Contains:

Doxycycline Hydrochloride I.P.

Equivalent to Doxycycline 200 mg.

11. TETRACYCLINE CAPSULES I.P.

Each Capsule Contains:

Tetracycline Hydrochloride I.P. 250 mg.

12. RESIBAN

Each Capsule Contains:

Ampicillin I.P. 250 mg.

(As Ampicillin Trihydrate I.P.)

Cloxacillin 250 mg.

(As Cloxacillin Sodium I.P.)

13. CLOXACILLIN CAPSULES I.P.

Each Capsule Contains:

Cloxacillin Sodium I.P.

Equivalent to Cloxacillin 250 mg.

16. AMOXYCILLIN DISPERSIBLE TABLETS I.P.

AMO KID

Each uncoated dispersible tablet contains:
Amoxicillin Trihydrate I.P.
Equivalent to Amoxicillin 125 mg.

**17. AMOXYCILLIN DISPERSIBLE TABLETS I.P.
AMO KID FORTE**

Each uncoated dispersible tablet contains:
Amoxicillin trihydrate I.P.
Equivalent to Amoxicillin 250 mg.

**18. AMOXYCILLIN DISPERSIBLE TABLETS I.P.
AMO FORTE**

Each uncoated tablet contains:
Amoxicillin Trihydrate I.P.
Equivalent to Amoxicillin 500 mg.

**19. AMOXYCILLIN ORAL SUSPENSION B.P
AMOXY – DRY**

Each 5 ml reconstituted suspension contains
Amoxicillin Trihydrate B.P
Equivalent to Amoxicillin 125 mg.

20. ROXYKEN SUSPENSION (Roxithromycin Suspension) 60 ml
Each 5 ml contains
Roxithromycin B.P 50mg.

21. ROXYKEN -150 MG
Each film coated tablet contains
Roxithromycin B.P. 150 mg.
Excipients q.s.

22. ROXYKEN -300 MG
Each film coated tablet contains
Roxithromycin B.P. 300 mg.
Excipients q.s.

**23. COTRIMOXAZOLE TABLETS I.P.
NEOTRIM FORTE TABLETS**
Each Uncoated tablet contains:
Trimethoprim I.P. 160 mg
Sulphamethoxazole I.P. 800 mg

**24. COTRIMOXAZOLE TABLETS I.P.
NEOTRIM-KID TABLETS**
Each Uncoated tablet contains:
Trimethoprim I.P. 40 mg
Sulphamethoxazole I.P. 200 mg

**25. COTRIMOXAZOLE ORAL SUSPENSION I.P.
NEOTRIM (60 ml)**
Each 5 ml contains:
Trimethoprim I.P. 40 mg.
Sulphamethoxazole I.P. 200 mg

**26. CIPROFLOXACIN TABLETS I.P.
KENCIPRO – 250**
Each film-coated tablet contains:

Ciprofloxacin Hydrochloride I.P.
Equivalent to Ciprofloxacin I.P. 250 mg

**27. CIPROFLOXACIN TABLETS I.P.
KENCIPRO – 500**

Each film-coated tablet contains:
Ciprofloxacin Hydrochloride I.P.
Equivalent to Ciprofloxacin I.P. 500 mg

28. GRIS SUSPENSION

Each 5 ml: (one teaspoonful) contains:
125 mg Griseofulvin microsize in
palatable suspension, Colored orange.
Also contains alcohol 0.2%.

**29. CEFADROXIL TABLETS 500 Mg
SKDROX –500**

Each un-coated tablet contains:
Cefadroxil Monohydrate I.P.
Equivalent to Anhydrous Cefadroxil 500 mg.

30. CEFADROXIL DISPERSIBLE TABLETS I.P. 250 mg

SKDROX –250
Each un-coated dispersible tablet contains:
Cefadroxil Monohydrate I.P.
equivalent to Anhydrous Cefadroxil 250 mg.
Excipients : q.s.

23.cefexime +lactobacillus 100MG &200mg

24.Amoxicillin+clauvanic acid

25.Amoxicillin 500mg caps

AMOXYCILLIN ORAL SUSPENSION B.P

AMOXY-DRY

Each 5 ml Re-Constituted Suspension contains :

Amoxicillin Trihydrate

B.P

Equivalent to Amoxicillin

125 mg

Colour : Sunset Yellow FCF

32. SULPHADIMIDINE TABLETS I.P.

Each Uncoated tablet contains:
Sulphadimidine I.P. 500 mg

33. CLAVOMOX TAB

Each tablet contains :
Amoxicillin Trihydrate I.P
Equivalent to Amoxicillin 250 mg.
Clavulanic Acid 125 mg.

(Present as Clavulanate Potassium USP)

34. CLAVOMOX DRY SYRUP

Each 5 ml contains :

Amoxicillin Trihydrate I.P

Equivalent to Amoxicillin 125 mg.

Clavulanic Acid 31.25 mg.

(Present as Clavulanate Potassium USP)

35. SMITH'S OFLATIN-800

Each tablet contains

Oflaxacin I.P 200 mg.

Tinidazole I.P 600 mg.

34. ERITHROMYCIN – 500

Each uncoated tablet contains

Erythromycin Estolate B.P

Equivalent to Erythromycin B.P 500 mg.

35. CLOXACILLIN CAPSULES B.P

CLOXA

Each capsule contains :

Cloxacillin sodium B.P

Equivalent to Cloxacillin 250 mg.

36. CEFALEXIN ORAL SUSPENSION B.P

CEPH-SUSPENSION (DRY-SYRUP)

Each 5 ml Reconstituted suspension contains :

Cephalexin B.P

Equivalent to anhydrous Cephalexin 250 mg.

Colour : Tartazine Supra FCF

11. ANTI-HISTEMIC

01. DIETHYL CARBAMAZINE TABLETS B.P

DIACIT TABLETS

Each uncoated tablet contains

Diethyl Carbamazine Citrate B.P 100 mg.

02. DIETHYL CARBAMAZINE CITRATE & CPM TABLETS

DICARB

Each film-coated tablet contains

Diethyl Carbamazine Citrate B.P 250 mg.

Chlorpheniramine Maleate B.P 5 mg.

VITAMINS & NUTRITIONAL SUPPLEMENTS

01. FOLIC ACID & FERROUS SULPHATE TABLETS

Each sugar-coated tablet contains: (for Therapeutic use)

Dried Ferrous Sulphate I.P. 335 mg.

Equivalent to 100 m g. Elemental Iron
Folic Acid I.P. 0.5 mg

02. FOLIC ACID & FERROUS SULPHATE TABLETS
Each sugar-coated tablet contains: (for Prophylactic use)
Dried Ferrous Sulphate I.P. 100 mg.
Folic Acid I.P. 0.1 mg

03. ASCORBIC ACID TABLETS I.P.
Each Uncoated tablet contains:
Ascorbic Acid I.P. 500 mg.

04. ASCORBIC ACID TABLETS I.P.
Each Uncoated tablet contains:
Ascorbic Acid I.P. 100 mg.

05. ASCORBIC ACID TABLETS I.P.
Each Uncoated tablet contains:
Ascorbic Acid I.P. 50 mg

06. FOLIC ACID TABLETS I.P.
Each Uncoated tablet contains:
Folic Acid I.P. 5 mg.

07. PYRIDOXINE TABLETS I.P.
Each Uncoated tablet contains:
Pyridoxine Hydrochloride I.P. 5 mg.

08. RIBOFLAVINE TABLETS I.P.
Each Uncoated tablet contains:
Riboflavine I.P. 2 mg

09. RIBOFLAVINE TABLETS I.P.
Each Uncoated tablet contains:
Riboflavine I.P. 5 mg.

10. THIAMINE HYDROCHLORIDE TABLETS I.P.
Each Uncoated tablet contains :
Thiamine Hydrochloride I.P. 5 mg.

11. THIAMINE HYDROCHLORIDE TABLETS I.P.
Each Uncoated tablet contains:
Thiamine Hydrochloride I.P. 10 mg.

12. THIAMINE HYDROCHLORIDE TABLETS I.P.
Each Uncoated tablet contains:
Thiamine Hydrochloride I.P. 50 mg.

13. CALCICAL B-12 TABLETS (Prophylactic use only)
Each Uncoated tablet contains:
Calcium gluconate I.P. 500 mg.
Vitamin C I.P. 25 mg.
Vitamin D3 I.P. 100 I.U

Vitamin B12 I.P. 0.5 mcg.

14. CALCICAL-B12 (for Therapeutic use)

Each 5 ml contains:

Calcium Gluconate I.P. 37.5 mg.
Calcium Locate I.P. 55 mg.
Cyanocobalamin I.P. 5mcg.
Vitamin D3 I.P. 200 I.U
Niacinamide I.P. 22.5 mg.

15. VITAMIN 'C' DROPS

Each ml. Contains:

Ascorbic Acid (Vitamin C) I.P. 100 mg.

16. SEBOLIN CAPSULES (for Therapeutic use)

Each Capsule Contains:

Thiamine Mononitrate I.P. 10 mg.
Riboflavine I.P. 10 mg.
Pyridoxine Hydrochloride I.P. 3 mg.
Vitamin B12 I.P. 15 mg.
Niacinamide I.P. 50 mg.

Folic Acid I.P. 1 mg.

Lactic Acid Bacillus I.P. 1000 lacks.

17. BEC-ZC (for Therapeutic use)

Each Capsule Contains:

Zinc Sulphate Monohydrate USP 61.0 mg.
(equivalent to 22.5 mg. Of elemental zinc)

Thiamine Mononitrate I.P. 10.0 mg.

Riboflavine I.P. 10.0 mg.

Niacinamide I.P. 45.0 mg.

Pyridoxine Hcl. I.P. 2.0 mg.

Cyanocobalamin I.P. 7.5 mcg.

Tocopheryl Acetate I.P. 20.0 mg.

Ascorbic Acid I.P. 150.0 mg.

18. SEBOLIN SYRUP (for Therapeutic use)

Each 5 ml contains:

Thiamine Mononitrate I.P. 2.25 mg.

Riboflavine I.P. 2.5 mg.

Pyridoxine Hcl I.P. 0.75 mg.

Cyanocobalamin I.P. 2.5 mcg.

D-Panthenol I.P. 2.5 mg.

Niacinamide I.P. 22.5 mg.

L-Glutamic Acid I.P. 20 mg.

19. OSICAL-F SYRUP (for Therapeutic use)

Each 5 ml contains:

Ferrrous gluconate I.P. 100 mg.

Calcium Gluconate I.P. 53.5 mg.

Vitamin D2 I.P. 200 I.U

Vitamin B12 I.P. 3.75 mcg.
Folic Acid I.P. 0.75 mg.
Niacinamide I.P. 22.5 mg.

19. OSICAL-F SYRUP (for Prophylactic use)

Each 5 ml contains:
Ferrrous Ammonium Citrate I.P.
(equivalent to elemental Iron mg) 18 mg.
Cynocobalamin I.P. 0.5 mcg.
Folic Acid I.P. 1.5 mcg.

20. HEAM-Z CAPSULES (for therapeutic use)

Each Capsule Contains:
Ferrous Glycine Sulphate 282 mg.
Zinc Sulphate Monohydrate USP 70 mg.
Cyanocobalamin I.P. 15 mg.
Folic Acid I.P. 1500 mcg.
Vitamin C I.P. 100 mg.

21. HEAM-Z (Syrup) (Therapeutic use)

Each 5 ml contains:
Ferrous Glycine Sulphate 72.5 mg.
Zinc Sulphate I.P. 30 mg.
Folic Acid I.P. 500 mcg.
Vitamin C I.P. 37.5 mg.
Vitamin B12 I.P. 2.5 mcg.

22. POLYVITAMIN TABLETS NFI (Prophylactic use)

Each uncoated tablet contains:

Vitamin A I.P. 2500 IU
Vitamin D3 I.P. 200 IU
Thiamine Mononitrate I.P. 2 mg.
Riboflavine I.P. 2 mg.
Vitamin B6 I.P. 0.5 mg.
Niacinamide I.P. 25 mg.
Calc. Pantothenate I.P. 1 mg.
Vitamin C I.P. 50 mg.
Folic Acid I.P. 0.2 mg

23. FREE-FR (for Therapeutic use)

Each Capsule Contains:
Vitamin A (As Acetate) I.P. 5000 I.U.
Vitamin C (As Corbic Acid) I.P. 75 mg.
Vitamin E (As Di-Alphatocopheryl Acetate) I.P. 25 I.U.
Zinc(As Zinc Oxide I.P.) I.P. 40 mg (Elemental)
Selenium(Sodium Selenate) 40 mg(Elemental)
Copper(Cupric Oxide) 2 mg (Elemental)

24. SEBOLIN-FORTE CAPS(for Therapeutic use)

Each capsule contains:
Vitamin B1 I.P 10mg
(Thiamine Mononitrate)
Vitamin B2 I.P 10 mg
(RIBOFLAVINE)
Vitamin B6 I.P 3 mg
(PYRIDOXINE HCL)
Niacinamide I.P. 45 mg

Zinc Sulphate I.P. 80 mg
Glutamic Acid U.S.P. 100 mg
Chromium as Chromic Chloride USB 150 mcg
Sodium Selenite U.S.P. 100 mcg

25. CONCERT:

Each pack contains: (INS- enclosed)
Glucosamine Sulphate - 500 mg
Vitamin E I.P. 8 mg
Vitamin C I.P. 50 mg
Chondroitin Sulphate Sodium 400 mg
Magnase Sulphate I.P. 20 mg

26. I.P.H. –III

Each 5 ml Contains:
(Iron (III) Hydroxide Polymaltose complex
equivalent to elemental Iron 50 mg
Folic Acid I.P. 500 mcg.
In a flavoured syrup base
Appropriate overages of vitamin

27. CAL CIT

Each tablet contains: (For Propylalactic use)
Calcium Citrate U.S.P 1000mg
Vitamin D3 I.P. 200 IU
Magnesium Hydroxide I.P. 100 mg
Zinc sulphate I.P. 4 mg

28. SMITHCE TABLETS

Each Uncoated tablet contains:
Ascorbic Acid I.P. 200 mg
Sodium Ascorbate I.P. 338 mg
(equivalent to 300 mg. Of Ascorbic Acid)

57.OSICAL-F CAPSULES (for Therapeutic use)

Each Capsule contains:
Cyanocobalamin I.P. 7.5 mcg.
Ferrous Fumarate I.P. 350 mg.
Folic Acid I .P. 1.5 mg
Ascorbic Acid I.P. 150 mg.

30. SEBOLIN DROPS(for Paediatric use)

Each ml.contains:
Vitamin A I.P. 800 I.U
Vitamin D3 I.P. 200 I.U
Vitamin B1 I.P. 0.5 mg.
Vitamin B2 I.P. 0.7 mg.
Vitamin B6 I.P. 7.5 mg.
D-Panthenol I.P. 1.5 mg.

Vitamin C I.P. 20 mg.

31. MENOCAAL

Each capsule contains: (For Therapeutic use)

Vitamin A I.P. - 2500 I.U.

(as acetate)

Vitamin D3 I.P. - 100 I.U.

Alpha Tocopheryl

Acetate I.P. - 30 mg

Thiamine Mononitrate I.P. 10 mg

Riboflavine I.P. 5 mg

Pyridoxine

Hydrochloride I.P. 40 mg

Vitamin B12 (coated) eqvt.

To cyanocobalamin I.P. 9 mcg

Folic Acid I.P. 400 mcg

Niacinamide I.P. 20 mg

Calcium Pantothenate I.P. 30 mg

Biotin USP 30 mcg

Para Aminobenzoic acid

(P.A.B.A) B.P. 30 mg

Vitamin C I.P. 45 mg

Eqvt. To elemental Iron 60 mg

Zinc Sulphate 60 mg

Monohydrate U.S.P eqvt. to element Zinc 15 mg

Copper Sulphate U.S.P. eqvt. to elemental copper 1 mg

Manganese Sulphate U.S.P eqvt. to elemental manganese 2 mg

Magnesium Hydroxide I.P.

eqvt. to element magnesium 100 mg

Potassium Iodide I.P.

To elemental Iodine 225 mg

Chromium Trichloride U.SP. eqvt.

Elemental Chromium 50 mcg

Sodium Selenate eqvt. to elemental selenium 100 mcg

Sodium Borate B.P. 2 mg

(Equivalent to the elemental Boron)

Appropriate overages added.

32. CALCICAL-500

Each uncoated tablet contains :

Calcium Carbonat (from an Organic Source) 1250 mg.

Equivalent to Elemental Calcium 500 mg.

Vitamin D3 I.P 25 IU

33.SMITH'S CONCENTRATE

ALVIT-A

Each capsule contains :

Thiamine Mononitrate I.P 10 mg,

Riboflavine I.P 10 mg.

Pyruidoxine Hcl I.P 3 mg.

Niacinamide I.P 45 mg.

Chromium as Chromic Chloride USP 150 mcg

Sodium Selenite USP 100 mcg

Approved colours used in the Shell

34. CALCIUM LACTATE TABLETS B.P

Each uncoated tablet contains

Calcium Lactate

(In the form of Calcium Lactate Pent hydrate)

12. ERECTILE DYSFUNCTION

1.SILDENFIL CITRATE TABLETS 50 mg.

SKGRA-50

Each coated tablet contains :

Sildenafil Citrate 50 mg.

2.SILDENFIL CITRATE TABLETS 100 mg.

SKGRA-100

Each coated tablet contains :

Sildenafil Citrate 100 mg.

3.SILDENFIL CITRATE TABLETS130MG

4.SILDENFIL CITRATE TABLETS 150MG

5.SILDENFIL CITRATE 100MG+DAPOXETINE HCL 100MG

6.SILDENFIL CITRATE 130MG+DAPOXETINE HCL 100MG

7.TADALAFIL 20MG

8.TADALAFIL 40MG

9.TADALAFIL 40MG+ DAPOXETINE HCL 100MG

10.VARDANAFIL 20MG

11.VARDANAFIL 40MG

12.VARDANAFIL40MG+ DAPOXETINE HCL 100MG

13.Libido Herbal product

14.Libido gold herbal

13. ANTICONVULSANTS

**01. SODIUM VALPROATE ENTERIC COATED TABLETS B.P
SOVOL**

Each enteric coated tablet contains

Sodium Valproate B.P 200 mg.

Colour : Titanium dioxide B.P

ANTIMANIC

01. CHLORPROMAZINE TABLETS B.P

Each sugar coated tablet contains

Chlorpromazine Hydrochloride B.P 300 mg.

14.T.B DRUG S

1.ETHAMBUTOL TABLETS B.P

Each uncoated tablet contains
Ethambutol Hydrochloride B.P 400 mg.

2.AT-3N-1

PYRAZINAMIDE,RIFAMPICIN,ISONIAZID,& ETHAMBUTOL HCL TABLETS

Each film coated tablet contains;

Rifampicin usp 225 mg

Isoniazid usp 150mg

Pyrazinamide B.P 750mg

RIFAMPICIN WITH IONIAZID TABLETS

FOR EXPORT

3.RIZID

Each film coated tablet contains

5.Rifampicin USP 450 mg

isoniazid USP 300mg

RIFAMPICIN, ISONIAZID WITH PYREDOXINE TABLETS

FOR EXPORT

4.RIZID-p

Each film coated tablet contains

5. Rifampicin USP 450mg

Isoniazid USP 300mg

Pyridoxine hcl B.P 10mg

FOR EXPORT

15.ANTI EMETIC

01. DOMP SUSPENSION 100 ml.

Each uncoated tablet contains

Domperidone B.P 1 mg.

Colour : Ponceau 4R

1. IBUPROFEN TABLETS B.P - IBU-400

EACH FILM COATED TABLET CONTAINS;

IBUPROFEN B.P 400 mg

COLOUR;ERYTHROSINE

2. IBUCETOL TABLETS

EACH UNCOATED TABLET CONTAINS;

IBUPROFEN B.P 400 mg.

PARACETAMOL B.P 325 mg

3. PARACETAMOL TABLETS I.P

EACH UNCOATED TABLET CONTAINS;

PARACETAMOL .AT B.P 500MG

4 . ENOLOL TABLETS B.P - ATENOL-100

EACH UNCOATED TABLET CONTAINS;
ATENOLOL B.P 100 MG.

5. GLIPIZIDE TABLETS B.P - GLYZIDE

EACH TABLET CONTAINS ;
GLIPIZIDE B.P 5MG

6. CIPROFLAXACIN TABKLETS B.P - KENCIPRO-250

EACH FILM COATED TABLET CONTAINS;
CIPROFLAXACIN HYDROCHLORIDE B.P
EQUALENT TO CIPROFLAXACIN I.P 250 MG
COLOUR;TITANIUM DIOXIDE
DOSAGE; AS DIRECTED BY THE PHYSICIAN

7. CIPROFLAXACIN TABLETS B.P - KENCIPRO-500

EACH FILM COATED TABLET CONTAINS;
CIPROFLAXACIN HYDROCHLORIDE B.P
EQUALENT TO CIPROFLAXACIN B.P 500 MG
COLOUR;TITANIUM DIOXIDE
DOSAGE ; AS DIRECTED BY THE PHYSICIAN.

8. ROXYTHROMYCIN TABLETS 150 MG. - ROXYKEN-150

EACH FILM COATED TABLET CONTAINS;
ROXYTHROMYCIN B.P 150 MG.
EXCIIPIENTS QS
COLOUR; TITANIUM OXIDE.

9. ROXYTHROMYCIN TABLETS 300 MG. - ROXYKEN-300 MG

EACH FILM COATED TABLET CONTAINS;
ROXYTHROMYCIN B.P 300 MG
EXCEPIENTS QS
COLOUR;TITANIUM OXIDE.

10. CEFADROXIL TABLETS 500 MG- SK DROX-500 TABLETS

EACH FILM COATED TABLET CONTAINS
CEFADROXIL MONOHYDRATE
EQUILANT TO ANHYDROUS CEFADROXYL U.S.P 500 MG
COLOUR;TITANIUM DIOXIDE
EXCIIPIENTS QS

11. SERRATIO PEPTIDASE TABLETS - SERADASE-10

EACH ENTERIC COATED TABLET CONTAINS;
SERRATIOPEPTIDASE
(20;000 SERRATIOPEPTIDASE UNITS)
COLOUT;TITANIUM DIOXIDE B.P

CAPSULES

12. INDOMETHACIN CAPSULES B.P

EACH CAPSULE CONTAINS;
INDOMETHACIN B.P 25 MG

13. OMEPRAZOLE CAPSULES 20 MG - KENZOLE-20 MG

EACH CAPSULE CONTAINS;
OMEPRAZOLE B.P 20 MG.

14. DOXYCYCLINE CAPSULE B.P

EACH CAPSULE CONTAINS;
DOXYCYCLINE HYDROCHLORIDE B.P
EQUIVALENT TO DOXYCYCLINE 100 MG.

15. DOXYCYCLINE CAPSULE B.P

EACH CAPSULE CONTAINS;
DOXYCYCLINE HYDROCHLORIDE B.P
EQUIVALENT TO DOXYCYCLINE 200 MG.

16. TETRACYCLINE CAPSULE B.P

EACH CAPSULE CONTAINS;
TETRACYCLINE HYDROCHLORIDE B.P 250 MG.

17. RIFAMPICIN CAPSULES B.P

EACH CAPSULE CONTAINS;
RIFAMPICIN B.P 150 MG

18. RIFAMPICIN CAPSULES B.P

EACH CAPSULE CONTAINS;
RIFAMPICIN B.P 300 MG

19. FLUOXETINE U.S.P. 20 MG - KENZAC-20 MG

EACH HARD GELATIN CAPSULE CONTAINS;
FLUOXETINE (AS HYDROCHLORIDE) U.S.P 20 MG
EXCIPIENTS QS.

20. SEBOLIN-FORTE CAPSULES (THERAPEUTIC USE)

EACH CAPSULE CONTAINS;
VITAMIN B1 (THIAMINE MONONITRATE) B.P 10 MG.
VITAMIN B2 (RIBOFLAVINE) B.P 10 MG.
VITAMIN B6 (PYRIDOXINE HCL) B.P 3 MG.
NIACINAMIDE B.P 45 MG.
ZINC SULPHATE B.P 80 MG.
GLUTAMIC ACID U.S.P 100 MG.
CHROMIUM (AS CHROMIC CHLORIDE) U.S.P 150 MCG.
SODIUM SELENITE U.S.P 100 MCG
Dosage : ONE CAPSULE A DAY.

21. PIROXICAM CAPSULES B.P

EACH CAPSULE CONTAINS;
PIROXICAM B.P 20 MG.

22. LANUT-30

EACH CAPSULE CONTAINS ;
LANSOPRAZOLE 30 MG
(AS ENTERIC COATED GRANNULES)

LIQUIDS

23.

CHLOROFORM SPIRIT B.P 0.3 ML

24. ROXYTHROMYCIN SUSPENSION 60 ML - ROXYKEN

EACH 5ML CONTAINS;
ROXYTHROMYCIN B.P 50 MG.
COLOUR;SUNSET YELLOW

25. SODICIT 100 ML

EACH 5 ML CONTAINS;
SODIUM ACID CITRATE B.P 1.34 MG
(AS DISODIUM HYDROGEN CITRATE)
COLOUR;TARTRAZINE YELLOW

26. CALCICAL-B12 SYRUP

(FOR THERAPEUTIC USE 200 MI)
EACH 5 ML CONTAINS;
CALCIUM GLUCONATE B.P 37.5 MG
CALCIUM LACTATE B.P 55 MG
CYANACOBALAMIN B.P 5 MCG
VITAMIN D3 B.P 200 I.U
NIACINAMIDE B.P 22.5 MG DOSE; 5ML

CERTIFICATE OF PHARMACEUTICALS PRODUCTS

- 27. ALUMINIUM HYDROXIDE AND MAGNESIUM TRISILICATE TABLETS B.P - ANCID**
Each chewable tablet contains :
Alluminium Hydroxide B.P 200 mg
Magnesium Tri Silicate B.P 200 mg
Colour: Tatrazine Supra FCF
- 28. SODIUM VALPROATE ENTERIC COATED TABLETS B.P - SOVOL**
Each enteric coated tablet contains :
Sodium Valproate B.P 200 mg
Colour : Titanium Dioxide B.P
- 29. METFORMIN TABLETS B.P - METMIN**
Each film coated tablet contains :
Metformin Hydro Chloride B.P 500 mg
Colour : Titanium Dioxide B.P
- 30. DICLOFENAC SODIUM TABLETS B.P - DICOFEN-FC**
Each Enteric Coated tablet contains :
Diclofenac Sodium B.P 50 mg
Color: Sunset Yellow FCF
- 31. ASPIRN TABLETS B.P**
Each Uncoated tablet contains
Aspirn B.P 300 mg
- 32. IBUPROFEN TABLETS B.P**
Each film coated tablet contains :
Ibuprofen B.P 200 mg
Colour : Erythrosin
- 33. DOXYCYCLINE CAPSULES B.P**
Each Capsule Contains :
Doxycycline Hydrochloride B.P
Equivalent to Doxycycline B.P 100 mg
- 34. OMEPRAZOLE CAPSULES B.P - KENZOLE-20**
Each Capsule Contains :
Omeprazole B.P 20 mg
(enteric coated granules)
approved colours used.
- 35. PROMETHAZINE HYDROCHLORIDE ORAL solution B.P - PROM**
Each 5ml contains :
Promethazine Hydrochloride B.P 5 mg
Colour : Tatrazine Supra FCF
- 36. MILK OF MAGNESIA B.P (100 ML.)
SMITH & KENNER' s MILK OF MAGNESIA**
Each 5 ml contains
Magnesium Hydroxide B.P 8.5% w/w

- 37. CLOXACILLIN CAPSULES B.P - CLOXA**
Each Capsule contains :
Cloxacillin Sodium B.P
Equivalent to Cloxacillin 250 mg
- 38. AMOXYCILLIN CAPSULES B.P**
Each Capsule contains :
Amoxicillin Trihydrate B.P
Equivalent to Amoxicillin 250 mg
- 39. AMOXYCILLIN CAPSULES B.P**
Each Capsule contains :
Amoxicillin Trihydrate B.P
Equivalent to Amoxicillin 500 mg
- 40. CEPHALEXIN CAPSULES B.P**
Each Capsule contains :
Cephalexin (Anhydrous) B.P 250 mg
- 41. CEPHALEXIN CAPSULES B.P**
Each Capsule contains :
Cephalexin (Anhydrous) B.P 500 mg
- 42. AMPICILLIN CAPSULES B.P**
Each Capsules contains :
Ampicillin Trihydrate B.P
Equivalent to Ampicillin 250 mg
- 43. AMPICILLIN CAPSULES B.P**
Each Capsules contains :
Ampicillin Trihydrate B.P
Equivalent to Ampicillin 500 mg
- 44. AMOXYCILLIN ORAL SUSPENSION B.P - AMOXY-DRY**
Each 5ml Re-constituted Suspension Contains :
Amoxicillin Trihydrate B.P
Equivalent to Amoxicillin 125 mg
Colour : Sunset yellow FCF
- 45. CEPHALEXIN ORAL SUSPENSION B.P**
CEPH-SUSPENSION (DRY-SYRUP)
Each 5ml Re-Constituted Suspension Contains :
Cephalexin anhydrous B.P 250 mg Colour: Tatzazine Supra 46. Perindopril Tablets
Each Uncoated Sacred Tablet Contains :
Perindopril 4 mg
Excipients q.s

SCHEDULE 'H' DRUG

- 47. LEVOFLOXACIN TABLETS 500 MG**
The prescription of a Registered

Each Film Coated Tablet Contains :
Levofloxacin Hemihydrate
Equivalent to Levofloxacin 500 mg
Colours : Red Oxide of Iron,
Yellow Oxide of Iron & Titanium Dioxide

48. **KETORALAC TROMETHAMINE TABLETS USP**

Each Film Coated Tablet contains
Ketoralac Tromethamine USP 10 mg
Colour: Titanium Dioxide

49. **TRIMETAZIDINE DIHYDROCHLORIDE MODIFIED – RELEASE TABLETS**

Each Film Coated Modified-Release Tablet contains :
Trimetazidine Dihydrochloride 35 mg
Colours : Red Oxide of Iron & Titanium Dioxide.

50. **MELOXICAM TABLETS**
STORE IN A COOL DRY PLACE.

Each Uncoated Tablet contains
Meloxicam 7.5 mg
Excipients q.s.

50. **MELOXICAM TABLETS**

Each Uncoated Tablet contains :
Meloxicam 15 mg
Excipients q.s
Dosage: as directed by The physician

51. **LEVOFLOXACIN TABLETS 250 MG**

Keep out of reach of children.
Each Film Coated Tablet Contains :
Levofloxacin Hemihydrate
Equivalent to Levofloxacin 250 mg
Colours : Red Oxide of Iron, Yellow Oxide
of Iron & Titanium Dioxide

53. **TRIMETAZIDINE DIHYDROCHLORIDE TABLETS 20 MG**

Each Film Coated Contains
Trimetazidine Dihydrochloride 20 mg
Colours: Yellow Oxide of Iron

54. **METOPROLOL TARTRATE TABLETS 50 MG**

Each uncoated Tablet Contains :
Metoprolol Tartrate 50 mg

55. **METOPROLOL TARTRATE TABLETS 100 MG**

Each uncoated Tablet Contains :
Metoprolol Tartrate 100 mg
Dosage : As directed by the physician.

VETERINARY PRODUCTS

12.ALBENDOZOLE TABLETS B.P(VETRINARY USE)

FOR EXPORT

each uncoated tab contains

13.Albendazole B.p 300mg

13.ALBENDOZOLE TABLETS B.P(VETRINARY USE)

FOR EXPORT

each uncoated tab contains

Albendazole B.P 15000 mg (VETRINARY USE)

14.ALBENDOZOLE TABLETS B.P (VETRINARY USE)

FOR EXPORT

each uncoated tab contains

15.Albendazole B.P 2500 mg

Ivermectin & Pyrantel Pamoate Tablets - 125

Each Chewable Tablet Contains

Ivermectin E.P 68 mcg

Pyrantel Pamoate U.S.P 57 mg

2. Ivermectin & Pyrantel Pamoate Tablets - 250

Each Chewable Tablet Contains

Ivermectin E.P 136 mcg

Pyrantel Pamoate U.S.P 114 mg

3. Ivermectin & Pyrantel Pamoate Tablets - 500

Each Chewable Tablet Contains

Ivermectin E.P 272 mcg

Pyrantel Pamoate U.S.P 228 mg

4. Pyrantel Pamoate+Febantel+Praziquantel Tablets

Each Tablet Contains

Pyrantel Pamoate U.S.P 144 mg

Febantel 150 mg.

Praziquantel 50 mg.

5. Each bolus contains; ALB-2500

6. Albendazole i.p/B.p 2500mg

Each Tablet Contains

Pyrantel Pamoate U.S.P 144 mg

Febantel 150 mg.

Praziquantel 50 mg.

- 2. Each bolus contains; ALB-2500**

Albendazole i.p/B.p 2500mg

- 3. SKONIDE suspension**

90ml,500ml,100

composition

OXYCLOZANIDEI.P (Vet) 3.4%w/w

- 5. SKONIDE-L SUSPENSION 500ML,/1000ML**

OXYCLOZANIDE I.P (VET) 3%W/V

LEVAMISOLE HYDROCHLORIDE B.P(VET) 1.5%W/V

- 6. SK TRIZOLE SUSPENSION 250ML/500ML/1000ML**

TRICLABENDAZOLE SUSPENSION

EACH ML CONTAINS 50MG OF TRICLABENDAZOLE

- 7. SKNEX-L SUSPENSION 500ML,1000ML**

RAFOXANID AND LEVIMISOLE SUSPENSION

COMPOSITION

RAFOXANID B.P (VET)1.5%W/VS

LEVAMISOLE HCL I.P(VET) 1.5%W/V

- 8. SKMISOLE POWDER 100GMS/200GMS**

EACH GR POWDER CONTAINS

LEVISOLE HCL B.P (VET)300MG

- 9. SKVIDONE SOLUTION 100ML,500ML,1000ML**

VETERINARY MICROCIDAL SOLUTION

POVIDONE -IODINE I.P 5%
(0.5%W/V AVAILABLE IODINE)

10. HALQUINOL BOLUS
SKQUIN
COMPOSITION
EACH BOLUS CONTAINS
HALQUINOL B.P 801.5 GRMS
EXCEPIENT QS.

11. ALBENDAZOLE BOLUS
SK-ZOLE
EACH BOLUS CONTAINS
ALBENDAZOLE I.P 1.5 GRS

12. SMITHKENNERS TABLETS FURAZOLIDONE(VET)200MH TABS
EACH UNCOATED TABLET CONTAINS;
FURAZOLIDONE I.P 200MG

13. SK FURMET BOLUS
METRONIDAZOLE AND FURAZOLIDONE
EACH BOLUS CONTAINS;
METRONIDAZOLE B.P VET 1 GR
FURAZOLIDONE B.P (VET)200MG.

14. Febental feed mix 12.5%

ATRO

Each film coated tablet contains

10 . Atrovostatin calcium equillent to Atrovastatin 10 mg
Excpts;mccp i.p,starch l.p,DCP i.p,Talcum l.p,sodium starch glyconate i.p

AMOXICILLIN WITH CLAUVANIC ACID TABLETS

11.CLAVOMOX-625

FOR Export

Each uncoated TABLET CONTAINS

Amoxicillin trihydrate B.p equ.to amoxicillin anhydrous B.P 500 mg
Clauvanic acid(as Clavulanate Potassium usp) 125mg USP
Excpts;mccp i.p,starch l.p,DCP i.p,Talcum l.p,sodium starch glyconate i.p

MELOXICAM TABLETS

15..MECAM

Each uncoated tab contains

MELOXICAM B.P 15mg
Excpts;mccp i.p,starch l.p,DCP i.p,Talcum l.p,sodium starch glyconate i.p

PREDNISOLONE TABLETS

Each uncoated tablet contains

16.PRESOLEX-5

FOR EXPORT

PREDNISOLONE TABLETS B.P 5 mg

17.Tetramisole 600mg

01. METFORMIN TABLETS B.P

METMIN

Each Film Coated Tablet contains :

Metformin Hydro Chloride B.P 500 mg
Colour : Titanium Dioxide B.P

04. DOXYCYCLINE CAPSULES B.P

Each Capsule contains :

Doxycycline Hydrochloride B.P
Equivalent to Doxycycline B.P 100 mg

05. OMEPRAZOLE CAPSULES B.P

KENZOLE-20

Each Capsule contains :

Omeprazole B.P 20 mg
(Enteric Coated Granules)
Approved Colors Use

06. Metoprolol tatarate--100mg

07. Rifampicin Cap-450mg

09. Co-Trimaxazole--980mg

10. Ethambutol--400mg Tab

13. Atenolol Tab-100mg

15. Mefloquin 250mg Tab

16. Artesunate 50mg Tab

17. Quinine Sulphate-300mg Tab

18. Primaquin Tab--7.5mg

ANTACIDS

1. TABLETS ANTACID

Each uncoated chewable tablet contains:

Aluminium Hydroxide I.P. 250 mg

Magnesium Hydroxide I.P. 250 mg

Methyl Poly Siloxane 50 mg

2. Z-CID (100 ml)

Each 5ml contains:

Aluminium Hydroxide Gel I.P. 150 mg

Magnesium Trisilicate I.P. 6 2.5 mg

Sodium Alginate I.P. 100 mg

Simethicone . I.P. 12.5 mg

3. ALUMINIUM HYDROXIDE TABLETS I.P.

Each uncoated tablet contains:

Dried Aluminium Hydroxide Gel. I.P. 500 mg

4. MILK OF MAGNESIA I.P.(100 ml)

SMITH & KENNER'S MILK OF FMAGNESIA

Contains 8.5% w /w of

Magnesium Hydroxide I.P.

5. SMITH'S SK-GEL MPS

Each 5 ml contains :

Activated Demethicone I.P 50 mg.

Magnesium Hydroxide I.P 250 mg.

(Added as Magnesium Hydroxide paste)

Dried Aluminium Hydroxide I.P 250 mg.

(Added as Aluminium Hydroxide paste)

Colour : Erythrosine

6. ALUMINIUM HYDROXIDE AND MAGNESIUM TRISALICATE TABLETS B.P

ANCID

Each chewable tablet contains

Aluminium Hydroxide B.P 200 mg.

Magnesium Trisilicate B.P 200 mg.

Colour : Tatrazine Supra FCF

2. ANTI AMOEBIC & ANTI DIARRHOEALS

1. ANTIDA SUSPENSION

Each 5 ml contains:

Furazolidone I.P. 34 mg

Aluminium Hydroxide Gel I.P. 120 mg

Metronidazole Benzoate I.P.

Equivalent to Metronidazole I.P. 100 mg

. METAFUR TABLETS

Each Uncoated tablet contains:

Metronidazole I.P. 400 mg

Diloxanide Furoate I.P. 500 mg

3. METRONIDAZOLE TABLETS I.P.

MNZ-200 TABLETS

Each Uncoated tablet contains:

Metronidazole I.P. 200 mg

4. METRONIDAZOLE TABLETS I.P.

MNZ-400 TABLETS

Each Uncoated tablet contains:

Metronidazole I.P. 400 mg

9. LOPERAMIDE TABLETS USP (Not for paediatric use)

LOPED TABLETS

Each uncoated tablet contains:

Loperamide Hcl USP 2 mg

6. MEBENDAZOLE TABLETS I.P.

MEBEN TABLETS

Each Uncoated tablet contains:

Mebendazole I.P. 100 mg

7. AMEBOID TABLETS

Each film coated tablet contains:

Norfloxacin I.P. 400 mg.

Tinidazole I.P. 600 mg.

8. AMEBOID SUSPENSION 30ML AMEOBICIDOL

Each 5 ml contains:

Metronidazole - 100 mg

Dilaxamide Furonate 125 mg

Apart from the above we can mfr any of your required products if the same are in large qts and approved by DC india for Indian sale and any product in B.P/U.S.P for exports.